



PRODUCT SPECIFICATIONS

www.interiorprinting.com




START HERE



Interiors unlimited...

The future in interior textiles no longer holds restrictions in repeating patterns and/or in color. You have complete design freedom! Imagine curtain fabrics, upholstery fabrics and wallcovering in the highest qualities and with limitless possibilities to create your own design. All products meet the high demands of the industry-and project market. Big Impact manufactures textile printing without compromise, for use in offices, retail, hospitality, hotel-and catering industry, healthcare and education.










Curtain

Curtains give each room its own character. Material, color, design and function are all critical considerations and thanks to the efforts of the newest, most advanced digital techniques printing fabrics no longer holds any restrictions.

Wallcovering

Digital project quality wallcovering pushes the boundaries of printing. It brings walls to life and proves that modesty is a thing of the past. Each image can be applied without design compromise and can be produced in life-size proportions, with a tight, continuous image, without seams and repetitive patterns, but also separate sections with overflow, or fitting are possible.





Upholstery

Challenge what is possible and welcome a whole new dimension in upholstery fabrics. Graphic designs, branding and all types of images can now come to life. The possibilities are endless, the quality is high and the delivery times are sharp. Anything can be achieved with your own designs and your product is sustainable and functional too.

Product Printing Technique Definition Composition Width in cm Printing width in cm Weight in m2 Flame retardance Care Other

Special features

Gluetex Biovate

UV- inkiet Self-adhesive textile wallcovering 60% bio based (modified starch),40% PES 140 cm 138 cm 350 gr/m2 SBI Euroclass B-s1.D0 Easy to maintain Meets REACH (registration, evaluation and admittance of chemical materials produced or Imported in the EU) Wise choice (Solvent and PVC-free) Nordic Swan ink Project suitable High color density Sustainable Repositioning is easy

Gluetex Biovale

Product Specifications

Product

Printing Technique Definition Composition Width in cm Printing width in cm Weight in m2 Flame retardance

Walltex

Care Other

Special features

Walltex

UV- inkjet Project wallcovering with grey backing 100% Polyester. PVC coating. 500 cm 495 cm 335 gr/m2 SBI Euroclass B-s1,D0 DIN 4102, B1 Easy to maintain Meets REACH (registration, evaluation and admittance of chemical materials produced or Imported in the EU) Wise choice (Solvent and PVC-free) Nordic Swan ink Project suitable High color density Scratch and impact resistant

Light fastness ink (scale 1-8) Cyan: 6

Tenda Voile iFR


Dye-sublimation inkjet Transparent curtain fabric 100% Polyester 300 cm 298 cm 50 gr/m2 BS 5867 part 2, type B&C Magenta: 6-7 Yellow: 7-8 Black: 5 Light Cyan: 6 Light magenta: 7

Light fastness fabric (scale 1-8) 6-7

MXA38

Meets REACH (registration, evaluation and admittance of chemical materials produced or Imported in the EU) Wise choice Oeko tex ink Project suitable High color density

Tenda Voile iFR



Product Specifications

Printing Technique Width in cm

Tenda Royal Dutch TCS

Dye-sublimation inkjet Linen structured curtain fabric 100% polyester Trevira CS 315 cm 313 cm 260 gr/m2 DIN4102 part 1, B1/ nfp, m1 / BS 5867, c / Imo A417 Cyan: 6 Magenta: 6-7 Yellow: 7-8 Black: 5 Light Cyan: 6 Light magenta: 7 5-6

Light fastness fabric (scale 1-8)

Care



Meets REACH (registration, evaluation and admittance of chemical materials produced or Imported in the EU) Wise choice Oeko tex ink IMO Project suitable High color density

Product **Printing Technique** Definition Width in cm Printing width in cm Flame retardance

Light fastness ink (scale 1-8)

Light fastness fabric (scale 1-8) 5-6

Care

Special features

Tenda Black out iFR

Light magenta: 7

or Imported in the EU)

Wise choice Oeko tex ink

Project suitable Contains a coating

100% black-out

IMO

Dye-sublimation inkjet 100% black-out curtain fabric 25% Polyester, 71% Acrylic Flock, 4% Cotton 280 cm 278 cm 102 gr/m2 BS 5867 part 2, type B B1/M1 IMO A563 (14) Cyan: 6 Magenta: 6-7 Yellow: 7-8 Black: 5 Light Cyan: 6

Tenda basic smooth FR

Product Specifications

Composition Weiaht in m2

Light fastness ink (scale 1-8)

Other

Special features

Tenda basic smooth FR

Dye-sublimation inkjet Microfiber curtain fabric 100% polyester microfiber 280 cm 278 cm 110 gr/m2 B1 not permanent finish Cyan: 6 Magenta: 6-7 Yellow: 7-8 Black: 5 Light Cyan: 6 Light magenta: 7 Light fastness fabric (scale 1-8) 5-6



after washing no longer B1 Meets REACH (registration, evaluation and admittance of chemical materials produced or Imported in the EU) Wise choice Oeko tex ink Project suitable High color density

High color density Tenda Black

lei A A A B

Meets REACH (registration, evaluation and admittance of chemical materials produced

out ifr



Light fastness fabric (scale 1-8)5-6 100.000 Fastness to rubbing (scale 1-5) Wet 4, dry 4-5

L

Mobili prestige care iFR Dye-sublimation inkjet High care upholstery fabric 100% Polyester multicoated with microporous polymers 146 cm 144 cm 258 gr/m2 BS 5852 0+1, BS 5852 crib 5 IMO A562 (16) Cyan: 6 Magenta: 6-7 Yellow: 7-8

Black: 5 Light Cyan: 6 Light magenta: 7

B A A A B

Meets REACH (registration, evaluation and admittance of chemical materials produced or Imported in the EU) Wise choice Oeko tex ink IMO Anti-bacterial, will not support microbial arowth Breathable Project suitable Contains a coating Washable / water repellent Scratch and impact resistant High color density

Mobili prestige care iFR

Mobili Royal DuEch TCS

Product Specifications Mobili Royal Dutch TCS

Printing Technique

Light fastness fabric (scale 1-8) 5-6 Martindale Pilling (scale 1-5) fastness to rubbing (scale 1-5') Wet 3-4, dry 4-5

Other

Dye-sublimation inkjet Linen structure upholstery fabric 100% Trevira CS

315 cm 313 cm 260 gr/m2 DIN 4102 part 1, B1 / BS 5852, crib5 / nfp, m1 / Imo A562(16)

Cyan: 6 Magenta: 6-7 Yellow: 7-8 Black: 5 Light Cyan: 6 Light magenta: 7 60.000

3-4

60 / CI (...

Meets REACH (registration, evaluation and admittance of chemical materials produced or Imported in the EU) Wise choice Oeko tex ink IMO Project suitable Washable / water repellent (AA TCC 22) High color density

Special features



Biovate biobased-material innovations

To create a sustainable world with 100% Biobased products. We are not there yet but we will keep innovating.

www.interiorprinting.com

